ACHILLES

A38LG PLUS MINI EXCAVATOR

$50,990
INC. GST

FINANCE AVAILABLE

7 ATTACHMENTS INCLUDED

KUBOTA D1703
34.5 HP DIESEL

HIGH-FLOW HAWE
88 L/MIN

MILLER GTS HITCH
HYDRAULIC QUICK HITCH

HEAVY-DUTY STEEL TRACKS
PROFESSIONAL UNDERCARRIAGE

1800 325 158 | achillesmachinery.com.au

A38LG PLUS

KEY SPECIFICATIONS

OPERATING WEIGHT	3,950 kg
ENGINE	Kubota D1703
MAIN PUMP	HAWE INLINE
ENGINE POWER	34.5 HP
HYDRAULIC FLOW	88 L/min
BUCKET DIGGING FORCE	32 kN
MAX. DIGGING DEPTH	3,110 mm
TRACK WIDTH	1,700 mm FIXED
TRAVEL SPEED	3.7 km/h
OVERALL DIMENSIONS	4,890 × 1,700 × 2,524 mm

1800 325 158 | achillesmachinery.com.au

A38LG PLUS FULL SPECIFICATIONS

ACHILLES

ENGINE & HYDRAULICS

Engine Model	Kubota D1703
Travel Motor	Nachi (Japan)
Main Pump	HAWE Inline (Hengli)
Engine Power	34.5 HP
Control System	Pilot Control
Cylinders	3
Hydraulic Pressure	23.5 MPa
Hydraulic Flow	88 L/min

WORKING RANGE

Max. Digging Height	4,660 mm
Max. Digging Depth	3,110 mm
Max. Digging Reach	5,240 mm
Boom Swing	Yes
Travel Speed	3.7 km/h
Gradeability	30°
Bucket Digging Force	32 kN
Bucket Capacity	0.12 m^3

UNDERCARRIAGE

Track Width	1,700 mm fixed
Track Length	2,170 mm
Steel Track Width	300 mm
Track Height	500 mm
Ground Clearance	575 mm

DIMENSIONS & WEIGHT

Overall Length	4,890 mm
Overall Width	1,700 mm
Overall Height	2,524 mm
Platform Width	1,500 mm
Operating Weight	3,950 kg

CAPACITIES

Fuel Tank	45 L
Engine Oil	7 L
Hydraulic Tank	56 L

1800 325 158 | achillesmachinery.com.au